

INDUSTRIAL PRODUCTS DEMOLITION



PIERCE

PIERCE

In-house design team: check. Sophisticated manufacturing capabilities: check. Product testing and certification, technical support, and convenient distribution centers throughout North America: check, check, and check. With so much to offer, we're ideally positioned to provide complete solutions for all of your business needs. From ordinary to extraordinary.

As a leading designer and manufacturer of hydraulic excavator attachments and work tools, Pierce has built a solid reputation for providing reliable, high performance products that are designed to keep pace with changing industry conditions — and one step ahead of emerging technologies.

Our position as a direct supplier for many of the world's leading equipment providers has enabled us to become experts in client collaboration, managing specific application parameters, and maintaining the highest quality standards for a variety of markets. Even if your needs call for a customized solution that doesn't currently exist, you can count us to make it happen — and make it happen right. Imagine that.



DEMOLITION

HIGH REACH DEMOLITION.

BUILT TO DESTROY.

Pierce demolition packages are specially built for every type of deconstruction. Whether you're tearing down a building, picking apart ground level debris, or severing rebar, our hardworking machines go to great lengths to help you tackle the toughest demolition applications, safely and effectively.

MEET THE EXTENDED FAMILY.

MACHINE SIZE (IN MT)	24-30	31-39	40-52	60-75	80-95	120-150
MAX WORKING HEIGHT (LEVEL TOOL)	50'-65'	65'-75'	80'-92'	95'-110'	120'-130'	125'-175'
WORK TOOL SIZE	4,500#-6,500#	5,500#-7,500#	5,500#-7,500#	5,500#-7,000#	4,500#-7,000#	5,500#-7,500#

CONTROL YOUR BOOM WITH BAMS

Our exclusive Boom Angle Monitoring System (BAMS) keeps your boom within a preset working range by controlling the operating mode and pump flow. When the tool reaches the maximum safe range, BAMS automatically interrupts pilot flow, allowing the operator to move the boom back into the safe working range.

OBSERVATION MONITORING SYSTEM

Camera system(s) mounted on stick. Boosts productivity with improved visibility during high reach operation.

TRANSPORT CRADLE

Transport cradles are available for high reach and excavator configurations.

MULTI-FUNCTION CONTROL SYSTEM

For the most precise control, our system utilizes electro-hydraulic proportional function to control boom sections and work tools.

Easily adjust pressure and flow for each implement. Simply toggle to 'Shear', 'Hammer', 'Universal Processor', or 'Bucket' to automatically adjust hydraulic requirements through cab-mounted controller.

DUST SUPPRESSION

Easy connection to water supply. Optional 200+ gallon stainless steel water tank with overflow port, water height gauge and water filter. Stainless plumbing from boom foot to stick-tip. Includes line drains, replaceable nozzles and connections. Operator-controlled activation from inside cab.

TEAR IT DOWN. PICK IT APART.

INTERMEDIATE DEMOLITION FRONTS

Our two-piece, intermediate height demolition fronts are ideal for moderate teardowns and demolition, such as sorting, processing, and loading. A rugged straight main boom and a heavy-duty excavator-style stick give you the power to tackle mid-level teardowns easily and efficiently.

Works with a variety of attachments:

- Hammer
- Shear
- Universal processor
- Pulverizers
- Severe duty grapples

MACHINE ARMOR

- HD underhouse guards.
- Integral catwalks.
- HD pump and radiator doors.
- HD right-hand corner guard.
- High lift boom adapter.
- Cylinder guards.
- Rock guards.
- Swivel guard.
- Idler reinforcement.
- HD top roller brackets.
- HD travel motor covers.
- Expandable undercarriage.
- Additional counterweight.
- Safety railings.
- High intensity LED work lights.



HYDRAULIC ELEVATING AND TILTING CAB

CAB FEATURES:

- Elevate (0'-7') and tilt (35°).
- Operated by dedicated joystick from inside cab.

ALSO AVAILABLE:

- Tilt Only: 35°.



L.E.X. DEMOLITION FRONTS

Our rugged L.E.X. first member main boom is designed for ground-level site remediation, sorting, loading, processing, and finishing demolition site work. It is configured with a top-mount stick cylinder designed to work with a heavy-duty shear.

The shear can be detached so that a second member stick can be added to allow for alternate applications and flexibility.

PIERCE – DEMOLITION





Pierce Pacific Manufacturing, Inc.

4424 NE 158th
Portland, Oregon 97230 USA

Post Office Box 30509
Portland, Oregon 97294 USA

Telephone: 503.808.9110
Toll Free: 800.760.3270
Fax: 503.808.9111

Distribution Warehouse:
Jackson, Mississippi USA

www.piercepacific.com



Scan for all Pierce products
and more.

040122